



PAINT PROTECTION FILM

Redefining Care,
Elevating Protection.



360° PROTECTION

www.ngpremium.in

CLEAR GLOSS X-75








TPU - 7.5mil/190µm

TECHNICAL SPECIFICATIONS

Thickness	190 Micron
Hydrophobic	Yes
Glue Brand	Ashland (USA)
Base Material	Lubrizol (USA)
Gloss	93 GU
Self Healing	Yes Upto 95%
Warranty	5 Years (E-Warranty)
Gravel Resistance	Pass
Scratch Repairable	Hot Repair
Anti -Yellowing	B Value<3
Xenon Lamp Aging Test	Pass
TPU Thickness	155 Microns
Base Film Thickness	15 microns
Adhivise Thickness	20 Microns
Film Stretchability	300%
Tensile Strength	18 MPa
Tear Strength	30.98 N
Puncture Strength	15 N
Chemical Effect	No Change
Acid Effect	No Change
Warranty Covers	Cracking, Staining, Yellowing Blistering, Delamination

"Preserve your vehicle's original paint with Clear Gloss PPF, offering invisible, high-gloss protection against scratches, chips, and UV damage while maintaining the car's pristine appearance."

FEATURES

-  Anti-Scratches
-  Easy Application / Removal
-  Anti-Yellowing
-  Super Hydrophobic
-  High Gloss Finish
-  Self-Healing
-  Anti Fouling



CLEAR GLOSS XP-200








TPU - 8.5mil/200µm

TECHNICAL SPECIFICATIONS

Thickness	200 Micron
Hydrophobic	Yes
Glue Brand	Ashland (USA)
Base Material	Lubrizol (USA)
Gloss	95 GU
Warranty	8 Years (E-Warranty)
Scratch Repairable	Hot Repair
Anti -Yellowing	B Value<3
Xenon Lamp Aging Test	Pass
Self Healing	Yes Upto 96%
Gravel Resistance	Pass
TPU Thickness	160 Microns
Coating Thickness	15 microns
Adhesive Thickness	25 Microns
Film Stretchability	300%
Tensile Strength	18 MPa
Tear Strength	70 N
Puncture Strength	15 N
Chemical Effect	No Change
Acid Effect	No Change
Warranty Covers	Cracking, Staining, Yellowing Blistering, Delamination

"Preserve your vehicle's original paint with Clear Gloss PPF, offering invisible, high-gloss protection against scratches, chips, and UV damage while maintaining the car's pristine appearance."

FEATURES

-  Anti-Scratches
-  Easy Application / Removal
-  Anti-Yellowing
-  Super Hydrophobic
-  High Gloss Finish
-  Self-Healing
-  Anti Fouling



CLEAR MATTE








TPU - 7.5mil/190µm

TECHNICAL SPECIFICATIONS

Thickness	190 Micron
Hydrophobic	Yes
Glue Brand	Ashland (USA)
Base Material	Lubrizol (USA)
Gloss	20 GU
Warranty	5 Years (E-Warranty)
Scratch Repairable	Hot Repair
Anti -Yellowing	B Value<3
Xenon Lamp Aging Test	Pass
Self Healing	Yes Upto 96%
Gravel Resistance	Pass
TPU Thickness	155 Microns
Coating Thickness	15 microns
Adhesive Thickness	20 Microns
Film Stretchability	300%
Tensile Strength	18 MPa
Tear Strength	70 N
Puncture Strength	15 N
Chemical Effect	No Change
Acid Effect	No Change
Warranty Covers	Cracking, Staining, Yellowing Blistering, Delamination

"Achieve a refined, matte finish with Clear Matte PPF, providing invisible protection against scratches, chips, and environmental damage while preserving the vehicle's sleek, non-reflective appearance."

FEATURES

-  Bold And Unique Aesthetic
-  Anti Glare Properties
-  Anti Scratches
-  Easy To Customize
-  Anti Yellowing
-  Anti Fouling
-  Self Healing



GLOSSY BLACK



TPU - 7.5mil/190µm

TECHNICAL SPECIFICATIONS

Thickness	190 Micron
Hydrophobic	Yes
Glue Brand	Ashland (USA)
Base Material	Lubrizol (USA)
Gloss	93 GU
Self Healing	Yes Upto 95%
Warranty	5 Years (E-Warranty)
Gravel Resistance	Pass
Scratch Repairable	Hot Repair
Coating adhesive	Level 5
Xenon Lamp Aging Test	Pass
TPU Thickness	150 Microns
Base Film Thickness	15 microns
Adhivise Thickness	25 Microns
Film Stretchability	300%
Tensile Strength	29 MPa
Tear Strength	70 N
Puncture Strength	15 N
Chemical Effect	No Change
Acid Effect	No Change
Warranty Covers	Cracking, Staining, Yellowing Blistering, Delamination

"Enhance your vehicle's shine and protection with Black Gloss PPF, delivering a stunning, high-gloss finish that shields your paint from scratches, chips, and environmental damage."

FEATURES

-  Anti-Scratches
-  Corrosion Resistance
-  Super Hydrophobic
-  High Quality Finish
-  Self-Healing
-  Water & Stain Resistance



MATTE BLACK

TPU - 7.5mil/190µm

TECHNICAL SPECIFICATIONS


Thickness	190 Micron
Hydrophobic	Yes
Glue Brand	Ashland (USA)
Base Material	Lubrizol (USA)
Gloss	20 GU
Warranty	5 Years (E-Warranty)
Scratch Repairable	Hot Repair
Coating adhesive	Level 5
Xenon Lamp Aging Test	Pass
Self Healing	Yes Upto 96%
Gravel Resistance	Pass
TPU Thickness	155 Microns
Coating Thickness	15 microns
Adhesive Thickness	20 Microns
Film Stretchability	300%
Tensile Strength	18 MPa
Tear Strength	70 N
Puncture Strength	15 N
Chemical Effect	No Change
Acid Effect	No Change
Warranty Covers	Cracking, Staining, Yellowing Blistering, Delamination

"Transform your vehicle with the bold, sleek look of Black Matte PPF, offering superior paint protection while maintaining a sophisticated, non-reflective finish that stands out on the road."

FEATURES

-  Anti-Scratches
-  Corrosion Resistance
-  UV Protection
-  Stylish Aesthetic
-  High Durability
-  Self-Healing





NG PREMIUM

NG Premium (Paint Protection Film)

Balaji Industrial Park, D-15/B, Behind Hindalco Co., Tondare, Talaja,
Panvel, Navi Mumbai, Maharashtra 410208

Contact Us

Mob. No. : 89288 86792

E-mail : sales@ngpremium.in / marketing@ngpremium.in

Web : www.ngpremium.in

Follow Us on

